

# AIR CONDITIONERS



## THE SPECIALIST FOR VEHICLE AIR CONDITIONING

Importer of  
Well-known Brands:

*Coleman-Mach*



**victron energy**  
BLUE POWER

**HEAT  
PUMP**



Airva 2000 & 3000  
2,4 kW (8.200 BTU) or 3,5 kW (11.950 BTU)  
HEAT PUMP



Polar Mach Roughneck  
230 or 115v  
3,95 kW (13.500 BTU)  
heater 1600W



Mach 3 & Roughneck  
230 or 115v  
3,95 kW (13.500 BTU)  
heater 1600W



Mini-Mach  
2,1 kW (7.200 BTU)  
heater 1600W



Skimo 12v or 24v  
2,9 kW (9.900 BTU)

**12 & 24V  
A/C**



Ibis  
3,2 kW (11.000 BTU)  
HEAT PUMP

**SPLIT  
A/C**



Heron 2.2  
2,7 kW (9.200 BTU)  
heater 1500 W

Heron Q  
3,2 kW (11.000 BTU)  
HEAT PUMP

**WINDOW  
A/C**



Kingfisher  
3,2 kW (11.000 BTU)  
HEAT PUMP


# AIR CONDITIONERS

ONE AIR CONDITIONER  
FOR EVERY USE



## AIR CONDITIONER DATA

Model	Cooling Capacity W/BTU	Average AW consumption	Heating Capacity W	Roof Opening	Weight kg	Height cm	Length cm	Width Cm	Prijs incl btw
<b>Rooftop A/C 230 volts (and 115v for specific models)</b>									
Mini Mach	2100 - 7200	4,4 - 920	1600	36 x 36	39,5	24,5	108	73	1595
Mach 3+ *	3950 - 13500	7,2 - 1650	1600	36x36 / 40x40	43,5	35	93	66	1795
Roughneck *	3950 - 13500	7,2 - 1650	1600	36x36 / 40x40	48	35	93	66	1995
Polar Mach Rough. *	3950 - 13500	7,1 - 1640	1600	36x36 / 40x40	51	27	112	77	2295
Seamach 115v	3950 - 13500	15 - 1650	1600	36x36 / 40x40	48	35	93	66	2195
Airva 2000	2400 - 8200	3,7 - 810	2400	40 x 40	32	23	107	59	1995
Airva 3000	3500 - 11950	5,5 - 1210	3500	40 x 40	35	23	107	59	2295
Ibis	3200 - 10800	5,1 - 1100	3200	36 x 36	45	22	104	83	2390
Units available in 115v									
<b>Rooftop A/C 12 or 24 volts</b>									
Skimo 12 Volts	2900 - 9900	66 - 800	-	30 x 40	27	25	72	48	2650
Skimo 24 Volts	2900 - 9900	33 - 800	-	30 x 40	27	25	72	48	2650
<b>Split A/C 230 volts</b>									
						Evaporator + Condenser			
Heron 2.2	2700 - 9100	4 - 880	1500	-	34	23	39	24	1990
							35	47	48
Heron Q	3200 - 10800	5,5 - 1200	3200	-	40	77	46	29	2490
<b>Window type A/C 230 volts</b>									
Kingfisher	3200 - 10800	5,5 - 1200	3200	-	52	63	52	55	2695



THE WHOLE VICTRON ENERGY RANGE IS AVAILABLE FOR YOUR 12v et 24v POWER SYSTEMS AND FOR OPERATION WHILE DRIVING.





Camper Techniek Eersel BV Tel  
+31-(0)497-514986 Fax +31-(0)497-518079  
[info@campertechniekeersel.nl](mailto:info@campertechniekeersel.nl) of [info@cte.nu](mailto:info@cte.nu)  
[www.campertechniekeersel.nl](http://www.campertechniekeersel.nl)